



Printing date 02.05.2025 Version number 2 (replaces version 1) Revision: 18.07.2024

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Identification of the substance/preparation: Gerriets VARIO-PROTECT-PRO matt
- 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Sector of Use

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

- · Product category PC9a Coatings and paints, thinners, paint removers
- · Process category PROC10 Roller application or brushing
- Application of the substance / the mixture Coating compound/ Surface coating/ paint
- · 1.3 Details of the supplier of the safety data sheet
- Company/undertaking identification:

Gerriets GmbH

**Hannes Gerriets** 

Am Kirchenhürstle 5-7

79224 Umkirch

- · Further information obtainable from: info@gerriets.com
- · 1.4 Emergency telephone number:
- +49 (0)7665 960-0

Montag bis Donnerstag von 8:00 - 17:00 Uhr, Freitag von 8:00 - 15:30 Uhr

#### **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the GB CLP regulation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Not applicable
- · Hazard pictograms Not applicable
- Signal word Not applicable
- · Hazard statements Not applicable
- · Additional information:

Contains reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1), 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

Safety data sheet available on request.

- 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

#### **SECTION 3: Composition/information on ingredients**

- · 3.2 Mixtures
- · **Description:** Mixture of substances listed below with nonhazardous additions.

Dangerous components:		
CAS: 2634-33-5	1,2-benzisothiazol-3(2H)-one	<0.036%
EINECS: 220-120-9 Index number: 613-088-00-6	Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 2, H411; Acute Tox. 4, H302;	
	Skin Irrit. 2, H315; Skin Sens. 1, H317	
	ATE: LD50 oral: 450 mg/kg LC50/4h inhalative: 0.21 mg/l	
	Specific concentration limit: Skin Sens. 1A; H317: C≥ 0.036 %	

(Contd. on page 2)





Printing date 02.05.2025 Version number 2 (replaces version 1) Revision: 18.07.2024

Identification of the substance/preparation: Gerriets VARIO-PROTECT-PRO matt

		(Contd. of page 1)
CAS: 55965-84-9	reaction mass of: 5-chloro-2-methyl-4-isothiazolin-	≥0.00025-<0.0015%
Index number: 613-167-00-5	3-one [EC no. 247-500-7] and 2-methyl-2H-	
	isothiazol-3-one [EC no. 220-239-6] (3:1)	
	Acute Tox. 3, H301; Acute Tox. 2, H310; Acute	
	Tox. 2, H330; 📀 Skin Corr. 1C, H314; Eye Dam. 1,	
	H318; 🕸 Aquatic Acute 1, H400 (M=100); Aquatic	
	Chronic 1, H410 (M=100); (1) Skin Sens. 1A, H317,	
	EUH071	
	Specific concentration limits:	
	Skin Corr. 1C; H314:C ≥ 0.6 %	
	Skin Irrit. 2; H315: 0.06 % ≤ C < 0.6 %	
	Eye Dam. 1; H318: C ≥ 0.6 %	
	Eye Irrit. 2; H319: 0.06 % ≤ C < 0.6 %	
	Skin Sens. 1A; H317: C ≥ 0.0015 %	

· Additional information: For the wording of the listed hazard phrases refer to section 16.

### **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air.
- · After skin contact:

Rinse with warm water.

After each cleaning use treatment creams, for very dry skin greasy ointments.

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Rinse out mouth and then drink plenty of water.
- 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · For safety reasons unsuitable extinguishing agents: Not applicable.
- 5.2 Special hazards arising from the substance or mixture

Danger of forming toxic pyrolysis products.

- 5.3 Advice for firefighters
- · Protective equipment: Do not inhale explosion gases or combustion gases.
- **Additional information**

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

#### **SECTION 6: Accidental release measures**

• 6.1 Personal precautions, protective equipment and emergency procedures Avoid contact with the eyes and skin.

Do not inhale gases / fumes / aerosols.

(Contd. on page 3)





Printing date 02.05.2025 Version number 2 (replaces version 1) Revision: 18.07.2024

Identification of the substance/preparation: Gerriets VARIO-PROTECT-PRO matt

(Contd. of page 2)

· 6.2 Environmental precautions:

Prevent from spreading (e.g. by damming-in or oil barriers).

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### **SECTION 7: Handling and storage**

· 7.1 Precautions for safe handling

Follow instructions on the label and in the Technical Product Information Sheet.

Avoid contact with the eyes and skin.

Do not inhale gases / fumes / aerosols.

· Information about fire - and explosion protection:

No special precautions are necessary if used correctly.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles:

Store only in unopened original receptacles.

- Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions:

Protect from frost.

Store under lock and key and out of the reach of children.

Store receptacle in a well ventilated area.

· 7.3 Specific end use(s) No further relevant information available.

## **SECTION 8: Exposure controls/personal protection**

- · 8.1 Control parameters
- **Exposure limit values:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · **DNELs** No further relevant information available.
- · PNECs No further relevant information available.
- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see section 7.
- Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

Do not eat, drink, smoke or sniff while working.

Be sure to clean skin thoroughly after work and before breaks.

Wash hands before breaks and at the end of work.

- · Respiratory protection: Not required.
- Hand protection

Only use chemical-protective gloves with CE-labelling of category III.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

(Contd. on page 4)





Printing date 02.05.2025 Version number 2 (replaces version 1) Revision: 18.07.2024

Identification of the substance/preparation: Gerriets VARIO-PROTECT-PRO matt

(Contd. of page 3)

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

### · Material of gloves

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

### Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

## · Eye/face protection

Where there is a danger of the eyes coming into contact with splashes of liquid (i.e. when refilling larger quantities), safety goggles according to EN 166 (i.e. goggles with side shields) are recommended.

### · Body protection:

Not required.

Light weight protective clothing

· Environmental exposure controls Follow instructions for use, dosage and waste disposal.

### **SECTION 9: Physical and chemical properties**

· 9.1 Information on basic physical and chemical properties

· General Information

Physical state
Colour:
Odour:
Odour threshold:
Melting point/freezing point:

Fluid
Whitish
Specific type
Not determined.
Undetermined.

Boiling point or initial boiling point and boiling

range 100°C (7732-18-5 water, distilled, conductivity or of

similar purity)

· Flammability Undetermined.

Lower and upper explosion limit

· Lower: Not determined. Not determined.

• Flash point: >100°C (Seta Flash Closed Cup)

**Decomposition temperature:** Not determined.

· pH at 20°C 8.5

Viscosity:

· Kinematic viscosity at 20°C 40 s (DIN 53211/4) Dynamic: Not determined.

· Solubility

• water: Fully miscible.
• Partition coefficient n-octanol/water (log value) Not determined.

· Vapour pressure at 20°C: 23 hPa (7732-18-5 water, distilled, conductivity or of

similar purity)

· Density and/or relative density

Density at 20°C:
 Relative density
 1.042 g/cm³
 Not determined.

(Contd. on page 5)





Printing date 02.05.2025 Version number 2 (replaces version 1) Revision: 18.07.2024

Identification of the substance/preparation: Gerriets VARIO-PROTECT-PRO matt

(Contd. of page 4)

	(Contd. of page
Vapour density	Not determined.
9.2 Other information	
Appearance:	
Form:	Fluid
Important information on protection of health	
and environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Solvent content:	
Organic solvents:	4.5 %
VOC (EC)	4.5 %
Change in condition	
Evaporation rate	Not determined.
Information with regard to physical hazard classes	
Explosives	Not applicable
Flammable gases	Not applicable
Aerosols	Not applicable
Oxidising gases	Not applicable
Gases under pressure	Not applicable
Flammable liquids	Not applicable
Flammable solids	Not applicable
Self-reactive substances and mixtures	Not applicable
Pyrophoric liquids	Not applicable
Pyrophoric solids	Not applicable
Self-heating substances and mixtures	Not applicable
Substances and mixtures, which emit	
flammable gases in contact with water	Not applicable
Oxidising liquids	Not applicable
Oxidising solids	Not applicable
Organic peroxides	Not applicable
Corrosive to metals	Not applicable
Desensitised explosives	Not applicable

## **SECTION 10: Stability and reactivity**

- · 10.1 Reactivity see section "Possibility of hazardous reactions".
- · 10.2 Chemical stability No information available.
- · Conditions to avoid:

Protect from frost.

No decomposition if used and stored according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No dangerous reactions known.
- · 10.6 Hazardous decomposition products: Danger of forming toxic pyrolysis products.

GB





Printing date 02.05.2025 Version number 2 (replaces version 1) Revision: 18.07.2024

Identification of the substance/preparation: Gerriets VARIO-PROTECT-PRO matt

(Contd. of page 5)

#### **SECTION 11: Toxicological information**

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:		
29911-28-	2 (2-buto	xymethylethoxy)propanol
Oral	LD50	3,160 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rab)
Inhalative	LC50/4h	>5.4 mg/l (rat) (OECD 403 (Aerosol))

- Primary irritant effect:
- Skin corrosion/irritation

No data available.

Based on available data, the classification criteria are not met.

Serious eye damage/irritation

No data available.

Based on available data, the classification criteria are not met.

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.
- · Additional toxicological information:
- · Repeated dose toxicity Undetermined.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) Undetermined.
- 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

### **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity:

Undetermined.

### 29911-28-2 (2-butoxymethylethoxy)propanol

EC50/48h >100 mg/l (Daphnia magna) (48 h (statisch))

### 12.2 Persistence and degradability

Elimination of contained polymers is possible through precipitation or flocculation.

The solvent is biodegradable.

- · 12.3 Bioaccumulative potential Undetermined.
- 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

(Contd. on page 7)





Printing date 02.05.2025 Version number 2 (replaces version 1) Revision: 18.07.2024

Identification of the substance/preparation: Gerriets VARIO-PROTECT-PRO matt

(Contd. of page 6)

- · 12.7 Other adverse effects
- · Behaviour in sewage processing plants:

Technically correct releases of minimal concentrations to adapted biological sewage plants, will not disturb the biodegradability of activated sludge. Before allowing large quantities to be fed into sewage plants, obtain the approval of the responsible authorities.

- Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow to reach ground water/water course. Do not allow undiluted product or large quantities of it to reach sewage system.

#### **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation

Must be specially treated adhering to official regulations.

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning. Packagings that may not be cleansed are to be disposed of in the same manner as the product.

· Recommended cleansing agents: Water, if necessary together with cleansing agents.

14.1 UN number or ID number ADR, IMDG, IATA	Not applicable	
14.2 UN proper shipping name ADR, IMDG, IATA	Not applicable	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA Class	Not applicable	
14.4 Packing group ADR, IMDG, IATA	Not applicable	
14.5 Environmental hazards: Marine pollutant:	No	
14.6 Special precautions for user	Not applicable.	
14.7 Maritime transport in bulk according instruments	y to IMO Not applicable.	
UN "Model Regulation":	Not applicable	

- GE





Printing date 02.05.2025 Version number 2 (replaces version 1) Revision: 18.07.2024

Identification of the substance/preparation: Gerriets VARIO-PROTECT-PRO matt

(Contd. of page 7)

#### **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Poisons Act
- · Regulated explosives precursors

None of the ingredients is listed.

Regulated poisons

None of the ingredients is listed.

· Reportable explosives precursors

None of the ingredients is listed.

· Reportable poisons

None of the ingredients is listed.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · National regulations:
- $\dot{}$  Other regulations, limitations and prohibitive regulations

Other regulations (EC): Directive 2004/42/EC

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Relevant phrases

- H301 Toxic if swallowed.
- H302 Harmful if swallowed.
- H310 Fatal in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H330 Fatal if inhaled.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H411 Toxic to aquatic life with long lasting effects.

EUH071 Corrosive to the respiratory tract.

- · Training hints ---
- · Recommended restriction of use

Not intended for spraying and industrial processing.

Restricted to professional users.

People who suffer from allergies, asthma, chronic or recurring respiratory illnesses should not be deployed in any process using the product.

· Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

(Contd. on page 9)





Printing date 02.05.2025 Version number 2 (replaces version 1) Revision: 18.07.2024

Identification of the substance/preparation: Gerriets VARIO-PROTECT-PRO matt

(Contd. of page 8)

ICAO: International Civil Aviation Organisation

ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the

International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU) DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

ATE: Acute toxicity estimate values Acute Tox. 3: Acute toxicity - Category 3 Acute Tox. 3. Acute toxicity – Category 3
Acute Tox. 4: Acute toxicity – Category 4
Acute Tox. 2: Acute toxicity – Category 2
Skin Corr. 1C: Skin corrosion/irritation – Category 1C
Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Skin Sens. 1: Skin sensitisation - Category 1 Skin Sens. 1A: Skin sensitisation - Category 1A

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

GB