



Printing date 19.07.2024 Version number 1 Revision: 19.07.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Identification of the substance/preparation: Gerriets VARIOLink M
- 1.2 Relevant identified uses of the substance or mixture and uses advised against SU21 Verbraucherverwendung: Private Haushalte / Allgemeinheit / Verbraucher
- · Sector of Use

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

- Product category PC9a Coatings and paints, thinners, paint removers
- Process category PROC10 Roller application or brushing
- · Application of the substance / the mixture Coating compound/ Surface coating/ paint
- · 1.3 Details of the supplier of the safety data sheet
- Company/undertaking identification:

Gerriets GmbH Hannes Gerriets

Am Kirchenhürstle 5-7

79224 Umkirch

- · Further information obtainable from: info@gerriets.com
- · 1.4 Emergency telephone number:

+49 (0)7665 - 960-0

Montag bis Donnerstag von 8:00 - 17:00 Uhr, Freitag von 8:00 - 15:30 Uhr

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



Acute Tox. 4 H332 Harmful if inhaled.

Skin Sens. 1 H317 May cause an allergic skin reaction. STOT SE 3 H335 May cause respiratory irritation.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- · 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms



GHS07

- · Signal word Warning
- · Hazard-determining components of labelling:

Hydrophilic aliphatic polyisocyanate hexamethylene-di-isocyanate

· Hazard statements

H332 Harmful if inhaled.

H317 May cause an allergic skin reaction.

H335 May cause respiratory irritation.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

Use only outdoors or in a well-ventilated area.

(Contd. on page 2)





Printing date 19.07.2024 Version number 1 Revision: 19.07.2024

Identification of the substance/preparation: Gerriets VARIOLink M

(Contd. of page 1)

Call a POISON CENTER/doctor if you feel unwell.

Specific treatment (see on this label).

Take off contaminated clothing and wash it before reuse.

Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

Additional information:

Contains isocyanates. May produce an allergic reaction.

- 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · **Description:** Mixture of substances listed below with nonhazardous additions.

| · Dangerous components: | | |
|---|--|---------|
| CAS: 160994-68-3 | Hydrophilic aliphatic polyisocyanate Acute Tox. 4, H332; Skin Sens. 1, H317; STOT SE 3, H335; Aquatic Chronic 3, H412, EUH204 | 50-100% |
| CAS: 822-06-0 EINECS: 212-485-8 Index number: 615-011-00-1 Reg.nr.: 01-2119457571-37 | hexamethylene-di-isocyanate Acute Tox. 3, H331; Resp. Sens. 1, H334; Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335, EUH204 Specific concentration limits: Resp. Sens. 1; H334: C ≥ 0.5 % Skin Sens. 1; H317: C ≥ 0.5 % | <0.1% |

· Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- **General information:**

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact:

After each cleaning use treatment creams, for very dry skin greasy ointments.

Immediately wash with water and soap and rinse thoroughly.

After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Call a doctor immediately.

Do not leave affected persons unattended.

Rinse out mouth and then drink plenty of water.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

(Contd. on page 3)





Printing date 19.07.2024 Version number 1 Revision: 19.07.2024

Identification of the substance/preparation: Gerriets VARIOLink M

(Contd. of page 2)

• 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- For safety reasons unsuitable extinguishing agents: Not applicable.
- 5.2 Special hazards arising from the substance or mixture Danger of forming toxic pyrolysis products.
- · 5.3 Advice for firefighters
- · Protective equipment:

Do not inhale explosion gases or combustion gases.

Wear self-contained respiratory protective device.

Mouth respiratory protective device.

Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with the eyes and skin.

Do not inhale gases / fumes / aerosols.

Ensure adequate ventilation

6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Follow instructions on the label and in the Technical Product Information Sheet.

Avoid contact with the eyes and skin.

Do not inhale gases / fumes / aerosols.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about fire - and explosion protection:

No special precautions are necessary if used correctly.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store only in unopened original receptacles.
- Information about storage in one common storage facility: Store away from foodstuffs.

(Contd. on page 4)





Printing date 19.07.2024 Version number 1 Revision: 19.07.2024

Identification of the substance/preparation: Gerriets VARIOLink M

(Contd. of page 3)

· Further information about storage conditions:

Store under lock and key and out of the reach of children.

Keep container tightly sealed.

Store receptacle in a well ventilated area.

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

Exposure limit values:

822-06-0 hexamethylene-di-isocyanate

WEL Short-term value: 0.07 mg/m³ Long-term value: 0.02 mg/m³

Sen; as -NCO

· Ingredients with biological limit values:

822-06-0 hexamethylene-di-isocyanate

BMGV 1 µmol creatinine/mol

Medium: urine

Sampling time: At the end of the period od exposure

Parameter: isocyanate-derived diamine

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see section 7.
- Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

Clean skin thoroughly immediately after handling the product.

Do not eat, drink, smoke or sniff while working.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

· Respiratory protection:

Not necessary if room is well-ventilated.

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 5)





Printing date 19.07.2024 Version number 1 Revision: 19.07.2024

Identification of the substance/preparation: Gerriets VARIOLink M

(Contd. of page 4)

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection

Where there is a danger of the eyes coming into contact with splashes of liquid (i.e. when refilling larger quantities), safety goggles according to EN 166 (i.e. goggles with side shields) are recommended.

- · Body protection: Light weight protective clothing
- Environmental exposure controls Follow instructions for use, dosage and waste disposal.

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Physical state Fluid · Colour: Colourless · Odour: Ester-like · Odour threshold: Not determined. Melting point/freezing point: Undetermined.

Boiling point or initial boiling point and boiling

range

175°C (111109-77-4 1-methoxy-3-(3-

methoxypropoxy)propane)

 Flammability Undetermined.

· Lower and upper explosion limit

· Lower: Not determined. · Upper: Not determined.

· Flash point: 65°C (Seta Flash Closed Cup) · Auto-ignition temperature: 165°C (111109-77-4 1-methoxy-3-(3-

methoxypropoxy)propane)

· Decomposition temperature: Not determined. · pH Not applicable.

Mixture reacts violently with water.

Viscosity:

26 s (DIN 53211/4) Kinematic viscosity at 20°C · Dynamic: Not determined.

Solubility

Fully miscible. · water: · Partition coefficient n-octanol/water (log value) Not determined.

 Vapour pressure at 20°C: 0.7 hPa (111109-77-4 1-methoxy-3-(3-

methoxypropoxy)propane)

· Density and/or relative density

Density at 20°C: 1.075 g/cm³ · Relative density Not determined. · Vapour density Not determined.

· 9.2 Other information

· Appearance:

Fluid · Form:

· Important information on protection of health

and environment, and on safety.

· Ignition temperature: Product is not selfigniting.

· Explosive properties: Product does not present an explosion hazard.

(Contd. on page 6)





Printing date 19.07.2024 Version number 1 Revision: 19.07.2024

Identification of the substance/preparation: Gerriets VARIOLink M

(Contd. of page 5)

| · Solvent content: | |
|--|-----------------|
| · Organic solvents: | 29.9 % |
| · VOC (EC) | 29.9 % |
| Change in condition | |
| Evaporation rate | Not determined. |
| · Information with regard to physical hazard | |
| classes | |
| · Explosives | Not applicable |
| · Flammable gases | Not applicable |
| · Aerosols | Not applicable |
| · Oxidising gases | Not applicable |
| · Gases under pressure | Not applicable |
| · Flammable liquids | Not applicable |
| · Flammable solids | Not applicable |
| Self-reactive substances and mixtures | Not applicable |
| · Pyrophoric liquids | Not applicable |
| · Pyrophoric solids | Not applicable |
| Self-heating substances and mixtures | Not applicable |
| Substances and mixtures, which emit | |
| flammable gases in contact with water | Not applicable |
| Oxidising liquids | Not applicable |
| · Oxidising solids | Not applicable |
| · Organic peroxides | Not applicable |
| · Corrosive to metals | Not applicable |
| | |

Not applicable

SECTION 10: Stability and reactivity

- · 10.1 Reactivity see section "Possibility of hazardous reactions".
- · 10.2 Chemical stability No information available.
- · Conditions to avoid: No decomposition if used and stored according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials:

Desensitised explosives

Reacts with alcohols, amines, aqueous acids and alkalis.

Reacts with water gently forming carbon dioxide. In case of moisture access pressure build-up and danger of bursting in closed packings.

• 10.6 Hazardous decomposition products: Danger of forming toxic pyrolysis products.

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Harmful if inhaled.

| . I | D/I C50 | values | relevant for | classification: |
|-----|---------|--------|----------------|-----------------|
| | LD/LUJU | values | i cicvalit ioi | Ciassilication. |

822-06-0 hexamethylene-di-isocyanate

Oral LD50 738 mg/kg (rat) Dermal LD50 593 mg/kg (rat)

Respiratory or skin sensitisation May cause an allergic skin reaction.

(Contd. on page 7)





Printing date 19.07.2024 Version number 1 Revision: 19.07.2024

Identification of the substance/preparation: Gerriets VARIOLink M

(Contd. of page 6)

- · STOT-single exposure May cause respiratory irritation.
- · Additional toxicological information:
- · Repeated dose toxicity Undetermined.
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) Undetermined.
- 11.2 Information on other hazards
- Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- Aquatic toxicity: Undetermined.
- 12.2 Persistence and degradability The solvent is biodegradable.
- 12.3 Bioaccumulative potential Undetermined.
- 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Remark: Harmful to fish
- Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow to reach ground water/water course. Do not allow undiluted product or large quantities of it to reach sewage system.

Harmful to aquatic organisms

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Disposal must be made according to official regulations.

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning. Packagings that may not be cleansed are to be disposed of in the same manner as the product.

· Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information

- · 14.1 UN number or ID number
- · ADR, IMDG, IATA Not applicable
- 14.2 UN proper shipping name
- · ADR, IMDG, IATA Not applicable

(Contd. on page 8)





Printing date 19.07.2024 Version number 1 Revision: 19.07.2024

Identification of the substance/preparation: Gerriets VARIOLink M

(Contd. of page 7)

| · 14.3 | Transport | hazard | class(| (es |) |
|--------|------------------|--------|--------|-----|---|
|--------|------------------|--------|--------|-----|---|

· ADR, ADN, IMDG, IATA

· Class Not applicable

14.4 Packing group

· ADR, IMDG, IATA Not applicable

14.5 Environmental hazards:

· Marine pollutant: No

• 14.6 Special precautions for user Not applicable.

14.7 Maritime transport in bulk according to IMO

instruments Not applicable.

· UN "Model Regulation": Not applicable

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Poisons Act
- Regulated explosives precursors

None of the ingredients is listed.

Regulated poisons

None of the ingredients is listed.

Reportable explosives precursors

None of the ingredients is listed.

Reportable poisons

None of the ingredients is listed.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · National regulations:
- Information about limitation of use:

Employment restrictions concerning juveniles must be observed.

Employment restrictions concerning pregnant and lactating women must be observed.

People who suffer from allergies, asthma, chronic or recurring respiratory illnesses should not be deployed in any process using the product.

· Other regulations, limitations and prohibitive regulations

Other regulations (EC): Directive 2004/42/EC

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H302 Harmful if swallowed.

(Contd. on page 9)





Printing date 19.07.2024 Version number 1 Revision: 19.07.2024

Identification of the substance/preparation: Gerriets VARIOLink M

(Contd. of page 8)

| | H315 | Causes | skin | irritation |
|--|------|--------|------|------------|
|--|------|--------|------|------------|

- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H331 Toxic if inhaled.
- H332 Harmful if inhaled.
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- H335 May cause respiratory irritation.
- H412 Harmful to aquatic life with long lasting effects.

EUH204 Contains isocyanates. May produce an allergic reaction.

· Training hints ---

Recommended restriction of use

Not intended for spraying and industrial processing.

Restricted to professional users.

People who suffer from allergies, asthma, chronic or recurring respiratory illnesses should not be deployed in any process using the product.

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 3: Acute toxicity – Category 3 Acute Tox. 4: Acute toxicity – Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation - Category 2

Resp. Sens. 1: Respiratory sensitisation - Category 1

Skin Sens. 1: Skin sensitisation – Category 1

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3